

SPEC[®] CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation


google
n1-standard-2-d

SPECint[®]_rate2006 = Not Run

SPECint_rate_base2006 = 39.5

CPU2006 license: 4093
Test sponsor: google
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --



SPECint_rate_base2006 = 39.5

Hardware

CPU Name: Intel Xeon
CPU Characteristics: Intel Xeon 2.60GHz
CPU MHz: 2599.996
FPU: --
CPU(s) enabled: 2 cores, 1 chip, 1 core/chip
CPU(s) orderable: --
Primary Cache: --
Secondary Cache: 20480 KB
L3 Cache: --
Other Cache: --
Memory: 7.361 GB fixme: If using DDR3, format is:
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Disk Subsystem: 870 GB add more disk info here
Other Hardware: --

Software

Operating System: CentOS release 6.4 (Final)
3.3.8-gcg-201303011431
Compiler: Intel C++ Compiler for Linux version 12.1.5
Intel Parallel Studio XE 2011 SP1 Update 3
Auto Parallel: No
File System: ext4
System State: Run level 3 (add definition here)
Base Pointers: --
Peak Pointers: Not Applicable
Other Software: --

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

google
n1-standard-2-d

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 39.5

CPU2006 license: 4093
Test sponsor: google
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	2	591	33.1	588	33.2	589	33.2							
401.bzip2	2	719	26.9	691	27.9	719	26.8							
403.gcc	2	405	39.8	400	40.3	403	40.0							
429.mcf	2	606	30.1	612	29.8	621	29.4							
445.gobmk	2	635	33.0	642	32.7	647	32.4							
456.hammer	2	329	56.7	325	57.4	338	55.2							
458.sjeng	2	806	30.0	794	30.5	868	27.9							
462.libquantum	2	162	256	157	263	167	248							
464.h264ref	2	788	56.2	773	57.3	775	57.1							
471.omnetpp	2	510	24.5	522	23.9	528	23.7							
473.astar	2	708	19.8	713	19.7	705	19.9							
483.xalancbmk	2	398	34.7	396	34.9	393	35.1							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

Platform Notes

```
Sysinfo program /opt/cpu2006/Docs/sysinfo
$Rev: 6775 $ $Date:: 2011-08-16 #$ 8787f7622badcf24e01c368b1db4377c
running on gce-test-n1-standard-2 Mon May 13 15:52:38 2013
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
model name : Intel(R) Xeon(R) CPU @ 2.60GHz
 1 "physical id"s (chips)
 2 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
cpu cores : 2
siblings : 2
physical 0: cores 0 1
cache size : 20480 KB
```

```
From /proc/meminfo
MemTotal: 7718820 kB
```

Continued on next page

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

google
n1-standard-2-d

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 39.5

CPU2006 license: 4093
Test sponsor: google
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Platform Notes (Continued)

```
From /etc/*release* /etc/*version*
centos-release: CentOS release 6.4 (Final)
redhat-release: CentOS release 6.4 (Final)
system-release: CentOS release 6.4 (Final)
system-release-cpe: cpe:/o:centos:linux:6:GA

uname -a:
Linux gce-test-n1-standard-2 3.3.8-gcg-201303011431 #1 SMP Fri Mar 1 14:34:57
PST 2013 x86_64 x86_64 x86_64 GNU/Linux

run-level 3 May 13 05:36

SPEC is set to: /opt/cpu2006
Filesystem      Type      Size      Used Avail Use% Mounted on
/dev/sdb1       ext4      870G      20G  807G   3% /opt

(End of data from sysinfo program)
```

General Notes

Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

Base Compiler Invocation

C benchmarks:
icc -m32

C++ benchmarks:
icpc -m32

Base Portability Flags

400.perlbench: -DSPEC_CPU_LINUX_IA32
462.libquantum: -DSPEC_CPU_LINUX
483.xalancbmk: -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-xSSE4.2 -ipo -O3 -no-prec-div -opt-prefetch

C++ benchmarks:
-xSSE4.2 -ipo -O3 -no-prec-div -opt-prefetch

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

google
n1-standard-2-d

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 39.5

CPU2006 license: 4093
Test sponsor: google
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Base Other Flags

C benchmarks:

403.gcc: -Dalloca=_alloca

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Tue May 14 06:23:25 2013 by SPEC CPU2006 PS/PDF formatter v6401.