

SPEC® CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECint®_rate2006 = Not Run

SPECint_rate_base2006 = 39.0

CPU2006 license: 4093


Test sponsor: aws

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --



Hardware

CPU Name: Intel Xeon E5645
CPU Characteristics: Intel Xeon E5645 2.40GHz
CPU MHz: 2000.07
FPU: --
CPU(s) enabled: 2 cores, 1 chip, 1 core/chip
CPU(s) orderable: --
Primary Cache: --
Secondary Cache: 12288 KB
L3 Cache: --
Other Cache: --
Memory: 7.280 GB fixme: If using DDR3, format is:
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Disk Subsystem: 827 GB add more disk info here
Other Hardware: --

Software

Operating System: Amazon Linux AMI release 2013.03
3.4.37-40.44.amzn1.x86_64
Compiler: Intel C++ Compiler for Linux version 12.1.5
Intel Parallel Studio XE 2011 SP1 Update 3
Auto Parallel: No
File System: ext4
System State: Run level 3 (add definition here)
Base Pointers: --
Peak Pointers: Not Applicable
Other Software: --

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 39.0

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	2	640	30.5	645	30.3	639	30.6							
401.bzip2	2	899	21.5	898	21.5	900	21.4							
403.gcc	2	545	29.5	548	29.4	551	29.2							
429.mcf	2	328	55.7	328	55.6	326	56.0							
445.gobmk	2	745	28.2	745	28.2	743	28.2							
456.hammer	2	372	50.1	375	49.7	374	49.9							
458.sjeng	2	820	29.5	813	29.8	813	29.8							
462.libquantum	2	168	246	167	247	167	247							
464.h264ref	2	912	48.6	905	48.9	906	48.8							
471.omnetpp	2	499	25.1	495	25.2	494	25.3							
473.astar	2	631	22.2	629	22.3	627	22.4							
483.xalancbmk	2	338	40.9	339	40.7	337	41.0							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

Platform Notes

```
Sysinfo program /opt/cpu2006/Docs/sysinfo
$Rev: 6775 $ $Date: 2011-08-16 # $ 8787f7622badcf24e01c368b1db4377c
running on ip-10-68-13-250 Mon May 13 05:40:15 2013
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
model name : Intel(R) Xeon(R) CPU E5645 @ 2.40GHz
 1 "physical id"s (chips)
 2 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
cpu cores : 1
siblings : 2
physical 0: cores 0
cache size : 12288 KB
```

```
From /proc/meminfo
MemTotal: 7633616 kB
HugePages_Total: 0
```

Continued on next page

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 39.0

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Platform Notes (Continued)

Hugepagesize: 2048 kB

```
From /etc/*release* /etc/*version*
system-release: Amazon Linux AMI release 2013.03
system-release-cpe: cpe:/o:amazon:linux:2013.03:ga
```

```
uname -a:
Linux ip-10-68-13-250 3.4.37-40.44.amzn1.x86_64 #1 SMP Thu Mar 21 01:17:08
UTC 2013 x86_64 x86_64 x86_64 GNU/Linux
```

run-level 3 May 13 05:39

```
SPEC is set to: /opt/cpu2006
Filesystem      Type      Size  Used Avail Use% Mounted on
/dev/md127      ext4      827G  8.4G  777G   2% /opt
```

(End of data from sysinfo program)

General Notes

Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

Base Compiler Invocation

C benchmarks:
icc -m32

C++ benchmarks:
icpc -m32

Base Portability Flags

400.perlbench: -DSPEC_CPU_LINUX_IA32
462.libquantum: -DSPEC_CPU_LINUX
483.xalancbmk: -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-xSSE4.2 -ipo -O3 -no-prec-div -opt-prefetch

C++ benchmarks:
-xSSE4.2 -ipo -O3 -no-prec-div -opt-prefetch

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 39.0

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Base Other Flags

C benchmarks:

403.gcc: -Dalloca=_alloca

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Mon May 13 21:09:36 2013 by SPEC CPU2006 PS/PDF formatter v6401.