

SPEC[®] CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECfp[®]_rate2006 = Not Run

SPECfp_rate_base2006 = 37.1

CPU2006 license: 4093


Test date: May-2013

Test sponsor: aws

Hardware Availability: --

Tested by: CloudHarmony Inc

Software Availability: --



Hardware

CPU Name: Intel Xeon E5-2650 0
 CPU Characteristics: Intel Xeon E5-2650 0 2.00GHz
 CPU MHz: 1799.999
 FPU: --
 CPU(s) enabled: 2 cores, 1 chip, 1 core/chip
 CPU(s) orderable: --
 Primary Cache: --
 Secondary Cache: 20480 KB

Continued on next page

Software

Operating System: Amazon Linux AMI release 2013.03
 3.4.37-40.44.amzn1.x86_64
 Compiler: Intel C++ Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Intel Fortran Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Auto Parallel: No
 File System: ext4
 System State: Run level 3 (add definition here)

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 37.1

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

L3 Cache: --
Other Cache: --
Memory: 7.280 GB fixme: If using DDR3, format is:
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Disk Subsystem: 1008 GB add more disk info here
Other Hardware: --

Base Pointers: --
Peak Pointers: Not Applicable
Other Software: --

Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
410.bwaves	2	413	65.7	417	65.2	419	64.9									
416.gamess	2	1342	29.2	1370	28.6	1358	28.8									
433.milc	2	432	42.5	434	42.4	431	42.6									
434.zeusmp	2	517	35.2	518	35.1	514	35.4									
435.gromacs	2	610	23.4	604	23.6	607	23.5									
436.cactusADM	2	678	35.3	668	35.8	673	35.5									
437.leslie3d	2	458	41.1	449	41.9	447	42.0									
444.namd	2	741	21.6	738	21.7	738	21.7									
447.dealII	2	466	49.1	461	49.7	461	49.7									
450.soplex	2	465	35.9	451	37.0	457	36.5									
453.povray	2	267	39.9	265	40.1	267	39.9									
454.calculix	2	531	31.1	526	31.4	536	30.8									
459.GemsFDTD	2	674	31.5	666	31.9	676	31.4									
465.tonto	2	714	27.6	700	28.1	698	28.2									
470.lbm	2	622	44.2	619	44.4	618	44.4									
481.wrf	2	428	52.2	423	52.8	424	52.7									
482.sphinx3	2	840	46.4	805	48.4	810	48.1									

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

Platform Notes

Sysinfo program /opt/cpu2006/Docs/sysinfo
\$Rev: 6775 \$ \$Date:: 2011-08-16 #\$ 8787f7622badcf24e01c368b1db4377c
running on ip-10-159-85-99 Mon May 13 05:40:18 2013

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

From /proc/cpuinfo

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 37.1

CPU2006 license: 4093

Test sponsor: aws

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --

Platform Notes (Continued)

model name : Intel(R) Xeon(R) CPU E5-2650 0 @ 2.00GHz

1 "physical id"s (chips)

2 "processors"

cores, siblings (Caution: counting these is hw and system dependent. The following excerpts from /proc/cpuinfo might not be reliable. Use with caution.)

cpu cores : 1

siblings : 2

physical 0: cores 0

cache size : 20480 KB

From /proc/meminfo

MemTotal: 7633616 kB

HugePages_Total: 0

Hugepagesize: 2048 kB

From /etc/*release* /etc/*version*

system-release: Amazon Linux AMI release 2013.03

system-release-cpe: cpe:/o:amazon:linux:2013.03:ga

uname -a:

Linux ip-10-159-85-99 3.4.37-40.44.amzn1.x86_64 #1 SMP Thu Mar 21 01:17:08

UTC 2013 x86_64 x86_64 x86_64 GNU/Linux

run-level 3 May 13 05:39

SPEC is set to: /opt/cpu2006

Filesystem	Type	Size	Used	Avail	Use%	Mounted on
------------	------	------	------	-------	------	------------

/dev/xvdh	ext4	1008G	8.4G	949G	1%	/opt
-----------	------	-------	------	------	----	------

(End of data from sysinfo program)

General Notes

Environment variables set by runspec before the start of the run:

LD_LIBRARY_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

Base Compiler Invocation

C benchmarks:

icc -m32

C++ benchmarks:

icpc -m32

Fortran benchmarks:

ifort -m32

Continued on next page

Standard Performance Evaluation Corporation

info@spec.org

http://www.spec.org/

Page 3

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 37.1

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Base Compiler Invocation (Continued)

Benchmarks using both Fortran and C:
icc -m32 ifort -m32

Base Portability Flags

435.gromacs: -nofor_main
436.cactusADM: -nofor_main
454.calculix: -nofor_main
481.wrf: -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32
-ansi-alias

C++ benchmarks:
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32

Fortran benchmarks:
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch

Benchmarks using both Fortran and C:
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32
-ansi-alias

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Mon May 13 20:44:18 2013 by SPEC CPU2006 PS/PDF formatter v6401.