

SPEC[®] CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m3.xlarge

SPECfp[®]_rate2006 = Not Run

SPECfp_rate_base2006 = 71.8

CPU2006 license: 4093


Test sponsor: aws

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --



Hardware

CPU Name: Intel Xeon E5-2670 0
 CPU Characteristics: Intel Xeon E5-2670 0 2.60GHz
 CPU MHz: 2600.223
 FPU: --
 CPU(s) enabled: 4 cores, 1 chip, 1 core/chip
 CPU(s) orderable: --
 Primary Cache: --
 Secondary Cache: 20480 KB

Continued on next page

Software

Operating System: Amazon Linux AMI release 2013.03
 3.4.37-40.44.amzn1.x86_64
 Compiler: Intel C++ Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Intel Fortran Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Auto Parallel: No
 File System: ext4
 System State: Run level 3 (add definition here)

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m3.xlarge

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 71.8

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

L3 Cache: --
Other Cache: --
Memory: 13.694 GB fixme: If using DDR3, format is:
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Disk Subsystem: 1008 GB add more disk info here
Other Hardware: --

Base Pointers: --
Peak Pointers: Not Applicable
Other Software: --

Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
410.bwaves	4	417	130	419	130	418	130									
416.gamess	4	1464	53.5	1468	53.4	1466	53.4									
433.milc	4	325	113	326	113	325	113									
434.zeusmp	4	519	70.2	522	69.7	523	69.7									
435.gromacs	4	565	50.5	566	50.5	567	50.4									
436.cactusADM	4	710	67.4	728	65.6	724	66.0									
437.leslie3d	4	706	53.3	679	55.4	699	53.8									
444.namd	4	679	47.2	679	47.2	680	47.2									
447.dealII	4	422	108	426	107	428	107									
450.soplex	4	440	75.9	439	76.1	439	76.0									
453.povray	4	269	79.0	269	79.1	270	78.7									
454.calculix	4	521	63.4	530	62.2	526	62.8									
459.GemsFDTD	4	891	47.7	874	48.5	880	48.2									
465.tonto	4	576	68.3	568	69.3	567	69.4									
470.lbm	4	974	56.4	967	56.8	966	56.9									
481.wrf	4	422	106	423	106	424	105									
482.sphinx3	4	826	94.4	828	94.1	826	94.4									

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

Platform Notes

Sysinfo program /opt/cpu2006/Docs/sysinfo
\$Rev: 6775 \$ \$Date:: 2011-08-16 #\$ 8787f7622badcf24e01c368b1db4377c
running on ip-10-142-131-89 Mon May 13 05:41:45 2013

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

From /proc/cpuinfo

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m3.xlarge

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 71.8

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Platform Notes (Continued)

```
model name : Intel(R) Xeon(R) CPU E5-2670 0 @ 2.60GHz
 1 "physical id"s (chips)
 4 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
  cpu cores : 4
  siblings  : 4
  physical 0: cores 0 1 2 3
cache size : 20480 KB
```

```
From /proc/meminfo
MemTotal:      14359396 kB
HugePages_Total:    0
Hugepagesize:    2048 kB
```

```
From /etc/*release* /etc/*version*
system-release: Amazon Linux AMI release 2013.03
system-release-cpe: cpe:/o:amazon:linux:2013.03:ga
```

```
uname -a:
Linux ip-10-142-131-89 3.4.37-40.44.amzn1.x86_64 #1 SMP Thu Mar 21 01:17:08
UTC 2013 x86_64 x86_64 x86_64 GNU/Linux
```

```
run-level 3 May 13 05:39
```

```
SPEC is set to: /opt/cpu2006
Filesystem      Type      Size      Used Avail Use% Mounted on
/dev/xvdh        ext4      1008G     11G  947G   2% /opt
```

(End of data from sysinfo program)

General Notes

Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

Base Compiler Invocation

C benchmarks:
icc -m32

C++ benchmarks:
icpc -m32

Fortran benchmarks:
ifort -m32

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m3.xlarge

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 71.8

CPU2006 license: 4093

Test sponsor: aws

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --

Base Compiler Invocation (Continued)

Benchmarks using both Fortran and C:

```
icc -m32 ifort -m32
```

Base Portability Flags

```
435.gromacs: -nofor_main  
436.cactusADM: -nofor_main  
454.calculix: -nofor_main  
481.wrf: -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
```

Base Optimization Flags

C benchmarks:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32  
-ansi-alias
```

C++ benchmarks:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32
```

Fortran benchmarks:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch
```

Benchmarks using both Fortran and C:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32  
-ansi-alias
```

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Mon May 13 20:41:55 2013 by SPEC CPU2006 PS/PDF formatter v6401.