

SPEC[®] CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
cc2.8xlarge

SPECfp[®]_rate2006 = Not Run

SPECfp_rate_base2006 = 358

CPU2006 license: 4093


Test date: May-2013

Test sponsor: aws

Hardware Availability: --

Tested by: CloudHarmony Inc

Software Availability: --



Hardware

CPU Name: Intel Xeon E5-2670 0
 CPU Characteristics: Intel Xeon E5-2670 0 2.60GHz
 CPU MHz: 2593.489
 FPU: --
 CPU(s) enabled: 32 cores, 2 chips, 1 core/chip
 CPU(s) orderable: --
 Primary Cache: --
 Secondary Cache: 20480 KB

Continued on next page

Software

Operating System: Amazon Linux AMI release 2013.03
 3.4.37-40.44.amzn1.x86_64
 Compiler: Intel C++ Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Intel Fortran Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Auto Parallel: No
 File System: ext4
 System State: Run level 3 (add definition here)

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
cc2.8xlarge

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 358

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

L3 Cache: --
Other Cache: --
Memory: 58.525 GB fixme: If using DDR3, format is:
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Disk Subsystem: 3.3 TB add more disk info here
Other Hardware: --

Base Pointers: --
Peak Pointers: Not Applicable
Other Software: --

Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
410.bwaves	32	1295	336	<u>1265</u>	<u>344</u>	1263	344									
416.gamess	32	1760	356	1789	350	<u>1778</u>	<u>352</u>									
433.milc	32	848	346	<u>847</u>	<u>347</u>	846	347									
434.zeusmp	32	741	393	<u>739</u>	<u>394</u>	735	396									
435.gromacs	32	704	324	<u>700</u>	<u>326</u>	697	328									
436.cactusADM	32	<u>1050</u>	<u>364</u>	1013	378	1085	352									
437.leslie3d	32	1248	241	1253	240	<u>1250</u>	<u>241</u>									
444.namd	32	831	309	<u>831</u>	<u>309</u>	830	309									
447.dealII	32	<u>539</u>	<u>679</u>	539	679	540	677									
450.soplex	32	992	269	<u>994</u>	<u>269</u>	996	268									
453.povray	32	332	512	329	518	<u>329</u>	<u>517</u>									
454.calculix	32	646	409	<u>648</u>	<u>407</u>	651	406									
459.GemsFDTD	32	1625	209	<u>1527</u>	<u>222</u>	1525	223									
465.tonto	32	<u>790</u>	<u>399</u>	790	399	786	401									
470.lbm	32	1313	335	1323	332	<u>1319</u>	<u>333</u>									
481.wrf	32	843	424	844	423	<u>843</u>	<u>424</u>									
482.sphinx3	32	1710	365	<u>1716</u>	<u>363</u>	1732	360									

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

Platform Notes

```
Sysinfo program /opt/cpu2006/Docs/sysinfo
$Rev: 6775 $ $Date:: 2011-08-16 #$ 8787f7622badcf24e01c368b1db4377c
running on ip-10-155-196-58 Mon May 13 05:43:48 2013
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

From /proc/cpuinfo

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
cc2.8xlarge

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 358

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Platform Notes (Continued)

```
model name : Intel(R) Xeon(R) CPU E5-2670 0 @ 2.60GHz
 2 "physical id"s (chips)
 32 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
  cpu cores : 8
  siblings  : 16
  physical 0: cores 0 1 2 3 4 5 6 7
  physical 1: cores 0 1 2 3 4 5 6 7
cache size : 20480 KB
```

```
From /proc/meminfo
MemTotal:      61367984 kB
HugePages_Total:    0
Hugepagesize:   2048 kB
```

```
From /etc/*release* /etc/*version*
system-release: Amazon Linux AMI release 2013.03
system-release-cpe: cpe:/o:amazon:linux:2013.03:ga
```

```
uname -a:
Linux ip-10-155-196-58 3.4.37-40.44.amzn1.x86_64 #1 SMP Thu Mar 21 01:17:08
UTC 2013 x86_64 x86_64 x86_64 GNU/Linux
```

```
run-level 3 May 13 05:42
```

```
SPEC is set to: /opt/cpu2006
Filesystem      Type      Size  Used Avail Use% Mounted on
/dev/md127      ext4      3.3T   37G  3.1T   2% /opt
```

(End of data from sysinfo program)

General Notes

Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

Base Compiler Invocation

C benchmarks:
icc -m32

C++ benchmarks:
icpc -m32

Fortran benchmarks:
ifort -m32

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws

cc2.8xlarge

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 358

CPU2006 license: 4093

Test sponsor: aws

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --

Base Compiler Invocation (Continued)

Benchmarks using both Fortran and C:

```
icc -m32 ifort -m32
```

Base Portability Flags

```
435.gromacs: -nofor_main  
436.cactusADM: -nofor_main  
454.calculix: -nofor_main  
481.wrf: -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
```

Base Optimization Flags

C benchmarks:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32  
-ansi-alias
```

C++ benchmarks:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32
```

Fortran benchmarks:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch
```

Benchmarks using both Fortran and C:

```
-xSSE4.2 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32  
-ansi-alias
```

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.

Report generated on Tue May 14 04:37:08 2013 by SPEC CPU2006 PS/PDF formatter v6401.