

SPEC[®] CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECfp[®]_rate2006 = Not Run

SPECfp_rate_base2006 = 23.8

CPU2006 license: 4093


Test date: May-2013

Test sponsor: aws

Hardware Availability: --

Tested by: CloudHarmony Inc

Software Availability: --



Hardware

CPU Name: Intel Xeon E5430
 CPU Characteristics: Intel Xeon E5430 2.66GHz
 CPU MHz: 2659.998
 FPU: --
 CPU(s) enabled: 2 cores, could not determine chips, 1 core/chip
 CPU(s) orderable: --
 Primary Cache: --
 Secondary Cache: 6144 KB

Continued on next page

Software

Operating System: Amazon Linux AMI release 2013.03
 3.4.37-40.44.amzn1.x86_64
 Compiler: Intel C++ Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Intel Fortran Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Auto Parallel: No
 File System: ext4
 System State: Run level 3 (add definition here)

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 23.8

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

L3 Cache: --
Other Cache: --
Memory: 7.280 GB fixme: If using DDR3, format is:
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Disk Subsystem: 1008 GB add more disk info here
Other Hardware: --

Base Pointers: --
Peak Pointers: Not Applicable
Other Software: --

Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
410.bwaves	2	1308	20.8	1327	20.5	1318	20.6									
416.gamess	2	1544	25.4	1546	25.3	1562	25.1									
433.milc	2	880	20.9	863	21.3	883	20.8									
434.zeusmp	2	696	26.1	683	26.7	694	26.2									
435.gromacs	2	601	23.8	605	23.6	600	23.8									
436.cactusADM	2	944	25.3	942	25.4	945	25.3									
437.leslie3d	2	1090	17.2	1105	17.0	1104	17.0									
444.namd	2	778	20.6	777	20.6	779	20.6									
447.dealII	2	616	37.1	625	36.6	620	36.9									
450.soplex	2	908	18.4	905	18.4	910	18.3									
453.povray	2	386	27.6	387	27.5	387	27.5									
454.calculix	2	644	25.6	644	25.6	644	25.6									
459.GemsFDTD	2	1355	15.7	1365	15.5	1350	15.7									
465.tonto	2	830	23.7	832	23.6	841	23.4									
470.lbm	2	840	32.7	821	33.5	833	33.0									
481.wrf	2	934	23.9	925	24.1	918	24.3									
482.sphinx3	2	1315	29.6	1293	30.1	1310	29.8									

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

Platform Notes

Sysinfo program /opt/cpu2006/Docs/sysinfo
\$Rev: 6775 \$ \$Date:: 2011-08-16 #\$ 8787f7622badcf24e01c368b1db4377c
running on ip-10-205-14-223 Mon May 13 05:43:55 2013

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

From /proc/cpuinfo

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 23.8

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Platform Notes (Continued)

```
model name : Intel(R) Xeon(R) CPU E5430 @ 2.66GHz
*
* 0 "physical id" tags found. Perhaps this is an older system,
* or a virtualized system. Not attempting to guess how to
* count chips/cores for this system.
*
  2 "processors"
  cores, siblings (Caution: counting these is hw and system dependent. The
  following excerpts from /proc/cpuinfo might not be reliable. Use with
  caution.)
  cache size : 6144 KB

From /proc/meminfo
MemTotal:      7633616 kB
HugePages_Total:    0
Hugepagesize:   2048 kB

From /etc/*release* /etc/*version*
system-release: Amazon Linux AMI release 2013.03
system-release-cpe: cpe:/o:amazon:linux:2013.03:ga

uname -a:
Linux ip-10-205-14-223 3.4.37-40.44.amzn1.x86_64 #1 SMP Thu Mar 21 01:17:08
UTC 2013 x86_64 x86_64 x86_64 GNU/Linux

run-level 3 May 13 05:39

SPEC is set to: /opt/cpu2006
Filesystem      Type      Size  Used Avail Use% Mounted on
/dev/xvdd       ext4     1008G  9.6G  948G   1% /opt

(End of data from sysinfo program)
```

General Notes

Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

Base Compiler Invocation

C benchmarks:
icc -m32

C++ benchmarks:
icpc -m32

Fortran benchmarks:
ifort -m32

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

aws
m1.large

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 23.8

CPU2006 license: 4093
Test sponsor: aws
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Base Compiler Invocation (Continued)

Benchmarks using both Fortran and C:
icc -m32 ifort -m32

Base Portability Flags

435.gromacs: -nofor_main
436.cactusADM: -nofor_main
454.calculix: -nofor_main
481.wrf: -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-xSSE4.1 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32
-ansi-alias

C++ benchmarks:
-xSSE4.1 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32

Fortran benchmarks:
-xSSE4.1 -ipo -O3 -no-prec-div -static -opt-prefetch

Benchmarks using both Fortran and C:
-xSSE4.1 -ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32
-ansi-alias

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Tue May 14 02:46:39 2013 by SPEC CPU2006 PS/PDF formatter v6401.