

SPEC[®] CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

rackspace
8gb

SPECint[®]_rate2006 = Not Run

SPECint_rate_base2006 = 51.7

CPU2006 license: 4093


Test sponsor: rackspace

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --



Hardware

CPU Name: AMD Opteron 4170 HE
CPU Characteristics: AMD Opteron 4170 HE
CPU MHz: 2100.072
FPU: --
CPU(s) enabled: 4 cores, could not determine chips, 1 core/chip
CPU(s) orderable: --
Primary Cache: --
Secondary Cache: 512 KB
L3 Cache: --
Other Cache: --
Memory: 7.657 GB fixme: If using DDR3, format is:
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Disk Subsystem: 315 GB add more disk info here
Other Hardware: --

Software

Operating System: CentOS release 6.4 (Final)
2.6.32-358.6.1.el6.x86_64
Compiler: Intel C++ Compiler for Linux version 12.1.5
Intel Parallel Studio XE 2011 SP1 Update 3
Auto Parallel: No
File System: ext3
System State: Run level 3 (add definition here)
Base Pointers: --
Peak Pointers: Not Applicable
Other Software: --

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

rackspace
8gb

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 51.7

CPU2006 license: 4093
Test sponsor: rackspace
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	718	54.4	725	53.9	724	54.0							
401.bzip2	4	956	40.4	958	40.3	966	40.0							
403.gcc	4	763	42.2	763	42.2	761	42.3							
429.mcf	4	1026	35.6	1025	35.6	1027	35.5							
445.gobmk	4	776	54.0	778	54.0	778	53.9							
456.hammer	4	630	59.3	630	59.2	630	59.2							
458.sjeng	4	997	48.5	992	48.8	998	48.5							
462.libquantum	4	571	145	572	145	574	144							
464.h264ref	4	1062	83.3	1063	83.3	1066	83.1							
471.omnetpp	4	692	36.1	695	36.0	698	35.8							
473.astar	4	857	32.8	842	33.4	852	33.0							
483.xalancbmk	4	562	49.1	543	50.8	547	50.4							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

Platform Notes

```
Sysinfo program /opt/cpu2006/Docs/sysinfo
$Rev: 6775 $ $Date: 2011-08-16 # $ 8787f7622badcf24e01c368b1db4377c
running on test-8gb Fri May 17 00:17:46 2013
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
  model name : AMD Opteron(tm) Processor 4170 HE
*
* 0 "physical id" tags found. Perhaps this is an older system,
* or a virtualized system. Not attempting to guess how to
* count chips/cores for this system.
*
  4 "processors"
  cores, siblings (Caution: counting these is hw and system dependent. The
  following excerpts from /proc/cpuinfo might not be reliable. Use with
  caution.)
  cache size : 512 KB
```

```
From /proc/meminfo
  MemTotal:      8028712 kB
```

Continued on next page

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

rackspace
8gb

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 51.7

CPU2006 license: 4093
Test sponsor: rackspace
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Platform Notes (Continued)

HugePages_Total: 0
Hugepagesize: 2048 kB

From /etc/*release* /etc/*version*
centos-release: CentOS release 6.4 (Final)
redhat-release: CentOS release 6.4 (Final)
system-release: CentOS release 6.4 (Final)
system-release-cpe: cpe:/o:centos:linux:6:GA

uname -a:
Linux test-8gb 2.6.32-358.6.1.el6.x86_64 #1 SMP Tue Apr 23 19:29:00 UTC 2013
x86_64 x86_64 x86_64 GNU/Linux

run-level 3 May 16 13:23

SPEC is set to: /opt/cpu2006
Filesystem Type Size Used Avail Use% Mounted on
/dev/xvda1 ext3 315G 7.4G 292G 3% /

(End of data from sysinfo program)

General Notes

Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

Base Compiler Invocation

C benchmarks:
icc -m32

C++ benchmarks:
icpc -m32

Base Portability Flags

400.perlbench: -DSPEC_CPU_LINUX_IA32
462.libquantum: -DSPEC_CPU_LINUX
483.xalancbmk: -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-ipo -O3 -no-prec-div -opt-prefetch

Continued on next page

SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

rackspace
8gb

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 51.7

CPU2006 license: 4093

Test sponsor: rackspace

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --

Base Optimization Flags (Continued)

C++ benchmarks:

-ipo -O3 -no-prec-div -opt-prefetch

Base Other Flags

C benchmarks:

403.gcc: -Dalloca=_alloca

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Fri May 17 22:11:29 2013 by SPEC CPU2006 PS/PDF formatter v6401.