

SPEC[®] CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

azure
A3

SPECfp[®]_rate2006 = Not Run

SPECfp_rate_base2006 = 46.9

CPU2006 license: 4093


Test date: May-2013

Test sponsor: azure

Hardware Availability: --

Tested by: CloudHarmony Inc

Software Availability: --



Hardware

CPU Name: AMD Opteron 4171 HE
 CPU Characteristics: AMD Opteron 4171 HE
 CPU MHz: 2094.683
 FPU: --
 CPU(s) enabled: 4 cores, 1 chip, 1 core/chip
 CPU(s) orderable: --
 Primary Cache: --
 Secondary Cache: 512 KB

Continued on next page

Software

Operating System: CentOS release 6.3 (Final)
 2.6.32-279.14.1.el6.openlogic.x86_64
 Compiler: Intel C++ Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Intel Fortran Compiler for Linux version 12.1.5
 Intel Parallel Studio XE 2011 SP1 Update 3
 Auto Parallel: No
 File System: ext4
 System State: Run level 3 (add definition here)

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

azure
A3

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 46.9

CPU2006 license: 4093
Test sponsor: azure
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

L3 Cache: --
Other Cache: --
Memory: 6.693 GB fixme: If using DDR3, format is:
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Disk Subsystem: 99 GB add more disk info here
Other Hardware: --

Base Pointers: --
Peak Pointers: Not Applicable
Other Software: --

Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
410.bwaves	4	985	55.2	986	55.1	990	54.9									
416.gamess	4	1480	52.9	1473	53.2	1484	52.8									
433.milc	4	1021	36.0	1022	35.9	1031	35.6									
434.zeusmp	4	684	53.2	682	53.3	688	52.9									
435.gromacs	4	627	45.6	626	45.6	632	45.2									
436.cactusADM	4	956	50.0	948	50.4	944	50.6									
437.leslie3d	4	1026	36.6	1013	37.1	1018	37.0									
444.namd	4	771	41.6	770	41.7	776	41.3									
447.dealII	4	614	74.5	616	74.3	617	74.2									
450.soplex	4	922	36.2	928	36.0	941	35.5									
453.povray	4	346	61.6	347	61.3	349	61.0									
454.calculix	4	672	49.1	677	48.8	676	48.8									
459.GemsFDTD	4	1497	28.4	1502	28.3	1526	27.8									
465.tonto	4	1191	33.0	1194	33.0	1197	32.9									
470.lbm	4	972	56.5	977	56.2	980	56.1									
481.wrf	4	767	58.2	773	57.8	778	57.4									
482.sphinx3	4	1407	55.4	1425	54.7	1420	54.9									

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

Platform Notes

Sysinfo program /opt/cpu2006/Docs/sysinfo
\$Rev: 6775 \$ \$Date:: 2011-08-16 #\$ 8787f7622badcf24e01c368b1db4377c
running on ch-test-largel Thu May 16 14:03:31 2013

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

From /proc/cpuinfo

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

azure
A3

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 46.9

CPU2006 license: 4093
Test sponsor: azure
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Platform Notes (Continued)

```
model name : AMD Opteron(tm) Processor 4171 HE
  1 "physical id"s (chips)
  4 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The
following excerpts from /proc/cpuinfo might not be reliable. Use with
caution.)
  cpu cores : 4
  siblings   : 4
  physical 0: cores 0 1 2 3
cache size  : 512 KB
```

```
From /proc/meminfo
MemTotal:      7017992 kB
HugePages_Total: 0
Hugepagesize:  2048 kB
```

```
/usr/bin/lsb_release -d
CentOS release 6.3 (Final)
```

```
From /etc/*release* /etc/*version*
centos-release: CentOS release 6.3 (Final)
redhat-release: CentOS release 6.3 (Final)
system-release: CentOS release 6.3 (Final)
system-release-cpe: cpe:/o:centos:linux:6:GA
```

```
uname -a:
Linux ch-test-large1 2.6.32-279.14.1.el6.openlogic.x86_64 #1 SMP Wed Dec 12
18:33:43 UTC 2012 x86_64 x86_64 x86_64 GNU/Linux
```

```
run-level 3 May 16 13:36
```

```
SPEC is set to: /opt/cpu2006
Filesystem      Type      Size      Used Avail Use% Mounted on
/dev/sdc1       ext4      99G       5.7G   88G    7% /opt
```

(End of data from sysinfo program)

General Notes

Environment variables set by runspec before the start of the run:
LD_LIBRARY_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

Base Compiler Invocation

C benchmarks:
icc -m32

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

azure
A3

SPECfp_rate2006 = Not Run

SPECfp_rate_base2006 = 46.9

CPU2006 license: 4093
Test sponsor: azure
Tested by: CloudHarmony Inc

Test date: May-2013
Hardware Availability: --
Software Availability: --

Base Compiler Invocation (Continued)

C++ benchmarks:
icpc -m32

Fortran benchmarks:
ifort -m32

Benchmarks using both Fortran and C:
icc -m32 ifort -m32

Base Portability Flags

435.gromacs: -nofor_main
436.cactusADM: -nofor_main
454.calculix: -nofor_main
481.wrf: -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32 -ansi-alias

C++ benchmarks:
-ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32

Fortran benchmarks:
-ipo -O3 -no-prec-div -static -opt-prefetch

Benchmarks using both Fortran and C:
-ipo -O3 -no-prec-div -static -opt-prefetch -auto-p32 -ansi-alias

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.
Report generated on Fri May 17 12:06:04 2013 by SPEC CPU2006 PS/PDF formatter v6401.