

# SPEC® CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

hp  
extra-large

SPECint®\_rate2006 = Not Run

SPECint\_rate\_base2006 = 98.4

CPU2006 license: 4093


Test sponsor: hp

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --



## Hardware

CPU Name: Intel Core2 Duo T7700  
CPU Characteristics: Intel Core(TM)2 Duo T7700 2.40GHz  
CPU MHz: 2666.76  
FPU: --  
CPU(s) enabled: 4 cores, could not determine chips, 1 core/chip  
CPU(s) orderable: --  
Primary Cache: --  
Secondary Cache: 4096 KB  
L3 Cache: --  
Other Cache: --  
Memory: 15.576 GB fixme: If using DDR3, format is:  
'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'  
Disk Subsystem: 463 GB add more disk info here  
Other Hardware: --

## Software

Operating System: CentOS release 6.4 (Final)  
2.6.32-358.6.1.el6.x86\_64  
Compiler: Intel C++ Compiler for Linux version 12.1.5  
Intel Parallel Studio XE 2011 SP1 Update 3  
Auto Parallel: No  
File System: ext4  
System State: Run level 3 (add definition here)  
Base Pointers: --  
Peak Pointers: Not Applicable  
Other Software: --

# SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

hp  
extra-large

SPECint\_rate2006 = Not Run

SPECint\_rate\_base2006 = 98.4

CPU2006 license: 4093  
Test sponsor: hp  
Tested by: CloudHarmony Inc

Test date: May-2013  
Hardware Availability: --  
Software Availability: --

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	466	83.8	481	81.2	<b>473</b>	<b>82.6</b>							
401.bzip2	4	703	54.9	713	54.1	<b>708</b>	<b>54.5</b>							
403.gcc	4	404	79.7	412	78.2	<b>407</b>	<b>79.0</b>							
429.mcf	4	318	115	327	112	<b>319</b>	<b>114</b>							
445.gobmk	4	529	79.4	<b>531</b>	<b>79.0</b>	534	78.6							
456.hammer	4	<b>263</b>	<b>142</b>	264	141	262	142							
458.sjeng	4	589	82.2	<b>595</b>	<b>81.4</b>	598	81.0							
462.libquantum	4	121	684	124	667	<b>121</b>	<b>683</b>							
464.h264ref	4	644	137	650	136	<b>649</b>	<b>136</b>							
471.omnetpp	4	478	52.3	<b>475</b>	<b>52.6</b>	467	53.5							
473.astar	4	517	54.3	526	53.4	<b>522</b>	<b>53.8</b>							
483.xalancbmk	4	325	85.0	334	82.7	<b>327</b>	<b>84.4</b>							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Submit Notes

The config file option 'submit' was used.

## Platform Notes

```
Sysinfo program /opt/cpu2006/Docs/sysinfo
$Rev: 6775 $ $Date: 2011-08-16 # $ 8787f7622badcf24e01c368b1db4377c
running on hp-test-xlarge Thu May 16 14:23:09 2013
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
  model name : Intel(R) Core(TM)2 Duo CPU T7700 @ 2.40GHz
*
* 0 "physical id" tags found. Perhaps this is an older system,
* or a virtualized system. Not attempting to guess how to
* count chips/cores for this system.
*
  4 "processors"
  cores, siblings (Caution: counting these is hw and system dependent. The
  following excerpts from /proc/cpuinfo might not be reliable. Use with
  caution.)
  cache size : 4096 KB
```

```
From /proc/meminfo
  MemTotal: 16332472 kB
```

Continued on next page

# SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

hp  
extra-large

SPECint\_rate2006 = Not Run

SPECint\_rate\_base2006 = 98.4

CPU2006 license: 4093  
Test sponsor: hp  
Tested by: CloudHarmony Inc

Test date: May-2013  
Hardware Availability: --  
Software Availability: --

## Platform Notes (Continued)

HugePages\_Total: 0  
Hugepagesize: 2048 kB

From /etc/\*release\* /etc/\*version\*  
centos-release: CentOS release 6.4 (Final)  
redhat-release: CentOS release 6.4 (Final)  
system-release: CentOS release 6.4 (Final)  
system-release-cpe: cpe:/o:centos:linux:6:GA

uname -a:  
Linux hp-test-xlarge 2.6.32-358.6.1.el6.x86\_64 #1 SMP Tue Apr 23 19:29:00 UTC  
2013 x86\_64 x86\_64 x86\_64 GNU/Linux

run-level 3 May 16 13:55

SPEC is set to: /opt/cpu2006  
Filesystem Type Size Used Avail Use% Mounted on  
/dev/vdb ext4 463G 5.7G 434G 2% /opt

(End of data from sysinfo program)

## General Notes

Environment variables set by runspec before the start of the run:  
LD\_LIBRARY\_PATH = "/opt/cpu2006/libs/32:/opt/cpu2006/libs/64"

## Base Compiler Invocation

C benchmarks:  
icc -m32

C++ benchmarks:  
icpc -m32

## Base Portability Flags

400.perlbench: -DSPEC\_CPU\_LINUX\_IA32  
462.libquantum: -DSPEC\_CPU\_LINUX  
483.xalancbmk: -DSPEC\_CPU\_LINUX

## Base Optimization Flags

C benchmarks:  
-xSSE4.2 -ipo -O3 -no-prec-div -opt-prefetch

Continued on next page

# SPEC CINT2006 Result

Copyright 2006-2013 Standard Performance Evaluation Corporation

hp  
extra-large

SPECint\_rate2006 = Not Run

SPECint\_rate\_base2006 = 98.4

CPU2006 license: 4093

Test sponsor: hp

Tested by: CloudHarmony Inc

Test date: May-2013

Hardware Availability: --

Software Availability: --

## Base Optimization Flags (Continued)

C++ benchmarks:

-xSSE4.2 -ipo -O3 -no-prec-div -opt-prefetch

## Base Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.

Report generated on Fri May 17 03:08:30 2013 by SPEC CPU2006 PS/PDF formatter v6401.